

# List of Possible Circumcisers in Australia and New Zealand

© The Circumcision Academy of Australia Inc

Circumcision Academy of Australia Inc (CAA)

PO Box 1776, Bondi Junction, NSW 2022

<http://www.circumcisionaustralia.org>

## Introduction

This booklet applies to *male circumcision only*, not other aspects of the medical practice of the doctors or medical practices listed.

The names, addresses, and other information in this booklet are given in good faith and are believed to be correct at the time of printing. They have been gathered together from a variety of sources including personal recommendations, radio, newspaper and magazine advertising. It should be noted that some doctors may have moved or ceased practice since the information was obtained. The CAA recognizes that there are many other doctors who perform circumcisions. The list only includes those the CAA is aware of.

The list includes doctors who do infant circumcisions, as well as circumcision of older children, adolescents and men. Some only circumcise infants, whereas some only circumcise older males, and some do circumcisions for any age. This is stated where known, but circumstances do change and the CAA does not always have full details of the latest practice. Some of the doctors and clinics listed will only circumcise where there is a clear medical need (but in some cases psychological need will be considered). Some, including those mohelim who are not doctors, will only circumcise infants. Phimosis is a common reason for circumcision. Prevention of risk of an adverse condition, infection or cancer in the future is regarded by some as a medically valid reason for circumcision. As a result many now regard circumcision as a 'surgical vaccine'.

Where fees are quoted these are the ones last known to the CAA and may not be complete or up to date. Readers are advised to carefully check what fees will be charged, and what they cover, before making any appointment.

## **Disclaimer**

No recommendation is made by the CAA, nor intended, as to qualifications or competence of practitioners nor the quality of advice provided by other organizations, some of which is inferior. Any reader making use of the services of any of the people or organizations listed, or any other information in this booklet, must satisfy themselves as to the standard of the advice and services which they are offered, and as to how appropriate such advice or services may be to their own needs. No responsibility can be accepted by the CAA for any consequences that may follow from the use to which a reader may put the information herein. Nothing herein is intended as, nor should it be construed as, 'medical advice'. Since circumstances of each patient varies only a direct consultation with a medical practitioner can be used to obtain the medical advice appropriate for the particular needs and quality of care of each individual.

## **Abbreviations and Symbols Used**

*[F]* immediately following a practitioner's name indicates that they are Female (where this fact is known for certain). Its absence does not imply that the doctor is male.

*[ISL]* immediately following a practitioner's name indicates that they are Moslem or are versed in providing circumcisions for the Islamic community, not necessarily that they themselves are Moslem.

*[J]* immediately following a practitioner's name indicates that he is known to be a Jewish doctor or mohel.

*[REF]* immediately following a name indicates that the entry refers to an organization, or person, which may not perform or directly arrange circumcisions, but which will refer enquirers to a suitable practitioner.

The year, e.g., *[2013]*, at the end of an entry indicates the date when the information was obtained or last updated.

*[R]* immediately preceding the year indicates a recommendation by one or more patients. It does not necessarily imply recommendation by the CAA

## **The Titles – 'Dr', 'Mr', etc**

The individual circumcision practitioners listed in this booklet are believed to be medically qualified if their name is preceded by the title 'Dr' or 'Mr'. Those for whom neither title is given are not known to be medically qualified (generally these are registered Jewish Mohelim competent only in the circumcision of infants). Readers should be aware however that in some countries there is no legal requirement to be registered in any way in order to perform circumcisions.

In parts of the British Commonwealth and some other places, specialist Consultants, surgeons and many doctors in private practice do not use the title 'Dr' but are known as 'Mr'. This is reflected in the listings where the preferred title is known, otherwise the default title of 'Dr' is used. The use in this listing of the titles 'Dr' and 'Mr' does not therefore imply any greater or lesser knowledge and skill.

**Addresses**

The address given for a practitioner is, where known, that of the place where he or she practices but in some cases may be his or her home address and not that of the Practice.

**Additions and Corrections**

Readers are asked to advise the CAA of any errors found in this booklet. Additional names and addresses from any part of the world, as well as other information relating to any entry would be very useful in order to improve our listings and provide a better service to readers. Information can be sent by post or e-mail to: [brian.morris@sydney.edu.au](mailto:brian.morris@sydney.edu.au)

**Acceptable Use**

This listing is provided for personal use only to find a doctor to circumcise you or your son. It may not be used for any commercial purpose and any such commercial use is a breach of copyright.

## AUSTRALIA

### Nationwide

**The Circumcision Academy of Australia Inc** *[Ref]*, PO Box 1776, Bondi Junction, NSW 2022. Web: <http://www.circumcisionaustralia.org>. Provides the latest, scientifically accurate information on benefits and risks of circumcision, as well as lists of doctors who perform infant, child and adult circumcisions. The Academy is a medical body only and does not offer medical procedures

### New South Wales

**Absolute Medical Services**, 1 Parsons Road, Lisarow, NSW 2250. Tel: (02) 4328 5200. Web <http://www.abmedical.com.au> Circumcisions of boys up to 3 months of age using the Plastibell method and local anaesthesia. Cost \$560. *[2013]*

**Australian Centre for Penile Surgery (Dr Colin Moore)**, Mailbox 321, 4 Young Street, Neutral Bay, Sydney, NSW 2089 (Please send stamped addressed envelope for details). Tel: (04) 1425-1234 or 0414-251 234 (9 am to 5 pm Mon–Fri). Web: <http://www.drcolinmoore.com> Surgery for all ages (from 6 months upwards) in private hospitals. General anaesthetic used. Re-circumcision also available. *[2013]*

**Australian Centre for Penile Surgery (Bondi Junction)**, 2nd Floor, 99 Spring St, Bondi Junction, NSW 2022. Tel: (02) 9386 0536. *[2013]*

**Dr. Khalid Aziz**, 25 Malvern Avenue, Croydon, NSW 2132. Tel: (02) 9745 1396. *[2013]*

**Dr Taciano Bantatau**, 9/25-29 Hunter Street, Hornsby, NSW 2077. Tel: (02) 9476 2320. Age over 10 years. Cost \$450 for children; more for men. *[2013]*

**Dr Peter Bell**, 142 Tuckwell Road, Castle Hill, Sydney, NSW. Tel: (02) 9894 0040 and (02) 9894 0474. Web: <http://http://www.drpeterbell.com> Plastibell circumcision under local anaesthetic for infants up to 3 weeks old only. Cost: \$400. *[2013]*

**Dr Norman J. Blumenthal**, 3 Kempsey Street, Blacktown NSW 2148. Tel: (02) 9621 5399. Web: <http://www.blumenthalclinic.com.au> E-mail: [blum@bigpond.net.au](mailto:blum@bigpond.net.au). Also at 185 Fox Valley Road, Wahroonga, NSW 2076. Tel: (02) 9989 8299. All appointments via Blacktown. Circumcision for infants up to 4 weeks old. Cost: \$400. *[2013]*

**Dr Luke Bookallil**, 211 Rusden Street, Armidale, NSW 2350. Tel: (02) 6772 2291. Web: <http://www.drluke.biz> E-mail: [info@drluke.biz](mailto:info@drluke.biz) Circumcision by Plastibell with EMLA cream and local anaesthetic for infants up to 4 months old. *[2013]*

**Dr Gordon Campbell**, Suite 304, SAN Clinic, 185 Fox Valley Rd, Wahroonga, NSW 2076. Tel: (02) 9473 8747. Circumcision by Plastibell under local anaesthetic for infants up to 6 weeks of age. *[2006]*

**Dr Peter Campbell**, Suite 16, Level 7, Prince of Wales Private Hospital, Barker St, Randwick, Sydney, NSW. Tel: (02) 9650 4023. Email: [info@drpetercampbell.com.au](mailto:info@drpetercampbell.com.au) Web: <http://www.drpetercampbell.com.au> *[2013]*

**Prof Dr Daniel Cass & Prof Dr Andrew Holland**, The Children's Hospital at Westmead, Cnr Hawkesbury Rd and Hainsworth Rd, Westmead, Sydney, NSW. Postal address: Locked Bag 4001, Westmead 2145. Tel: (02) 9845 3059 and (02) 9845 0179. E-mail: [dannyc@nch.edu.au](mailto:dannyc@nch.edu.au). Hospital email: [info@chw.edu.au](mailto:info@chw.edu.au). Day surgery under general anaesthetic for infants and boys for medical need only. *[2013]*

**Dr Noel Docker**, 545 Pacific Hwy, Belmont, NSW 2280. Tel: (02) 4945 9455. Circumcision for infants up to 6 weeks old. *[2013]*

**Dr Richard Curran**, Kildare Road Medical Centre, 36 Kildare Road, Blacktown, NSW 2148. Tel: (02) 8822 3000. Adult circumcision. [2013]

**Dr Anthony Dilley**, MB BS FRACS. 352 President Avenue, Gymea, NSW 2227. Tel: (02) 9540 4409. Also at 50 Arthur Street, Randwick, NSW 2031. Email: shirepaedsurg@optusnet.com.au Web: <http://dranthonydilley.ypsitesmart.com.au> Dr Dilley is a specialist urological surgeon. Circumcision of infants using a local anaesthetic, and children using a general anaesthetic. Cost: \$800. [2013]

**Dr Roger Fabian**, Ingleburn Medical Centre, 2 Nardoo Street, Ingleburn, NSW 2565. Tel: (02) 9829 2900. E-mail: roger.fabian@optusnet.com.au Newborn to 6 weeks of age and 10 years and above under local anaesthesia. [2015]

**Dr Adam Jackel**, *See Dr. Milton Sales & Dr. Adam Jackel.*

**Dr Tamer Kahil** [ISL], 1/173 Waterloo Road, Greenacre, Sydney, NSW 2190. Tel: (02) 9758 6333. E-mail: info@orthops.com.au Circumcision for all ages under local anaesthetic. [2013]

**Dr Phillip Katelaris**, 51 Palmerston Rd, Hornsby, Sydney, NSW 2077. Tel: (02) 9477 7904. E-mail: urology@katelarisinc.com. Circumcision for males over 10 years of age by the sleeve resection method under local or general anaesthetic for medical need only. Cost: \$1867 for child or adult [2013]

**Dr Thomas Kirsh** [J], 73 Lieberts Lane, Brunkerville NSW 2565. Has been performing neonatal circumcisions in Newcastle for 35 years. Plastibell method using anaesthesia. Age up to 6 weeks. Mob: 0419-432-640. [2013]

**Dr Robert Lewin**, 1 John Street, Erskinville, NSW 2043. Tel: (02) 9519 4240. Web: <http://www.drlewin.com.au> Circumcision for boys under 3 months. [2013]

**Prof Dr Andrew Li**, MB BS FRAGP. Drummoyne Surgery & Skin Cancer Clinic, Suite 11, Level 1, 50 Victoria Road, Drummoyne, NSW 2047. Tel: (02) 9719 1600. E-mail: admin@drummoynesurgery.com.au Web: <http://www.drummoynesurgery.com.au> Circumcision for adults and boys over 10 years of age under local anaesthetic by penile nerve block; under special circumstances boys aged 5–10 may be done as well. Cost: \$2000. [2013]

**L'image Cosmetic Surgery**, Sydney Centre of Aesthetic Surgery, Suite 6, 2 Hunter Street, Parramatta, Sydney, NSW. Tel: 1300 267 638. Web: <http://www.limage.com.au> Choice of end results from partial to radical removal of foreskin. Free, no obligation, consultations held on Thursdays. Adults over 18 only under local anaesthetic. Out of town and overseas patients welcome – airport pickup and accommodation can be arranged. [2013]

**Dr William Lynch**, Urology Sydney, St George's Private Hospital, Level 1, 1 South Street, Kogarah, NSW 2217. Tel: (02) 9587 4888. Web: <http://www.urologysydney.com.au>. Consultations alone also at Suite 7, 26–28 Gibbs Street, Miranda, NSW 2228. [2013]

**Dr Colin Moore**. *See Australian Centre for Penile Surgery.*

**Dr Dinesh Patel**, Suite 2015, 308–312, Beamish St, Campsie, Sydney, NSW 2194. Tel: (02) 8197 1900. E-mail: reception@urologicalsurgeon.com.au. Web: [www.urologicalsurgeon.com.au](http://www.urologicalsurgeon.com.au). Circumcision by sleeve resection for males 16 years of age and over, normally under general anaesthetic but local anaesthetic by request. Cost: \$1,350.00. [2016]

**Dr Khakid Qidwai**, 25 Malvern Avenue, Croydon, NSW 2132. Tel: (02) 9745 1396. [2013]

**Dr David Robinson**, FRACS [J], Suite 301 Harley Place, 251 Oxford Street (Cnr Hollywood Ave), Bondi Junction, NSW 2022. Tel: (02) 9387 8700. Dr Robinson is a specialist surgeon who has performed 4,000 circumcisions over the past 25 years. He circumcises newborns under 6 weeks of age using local anaesthetic. Dr Robinson also performed circumcision of older boys under general anaesthesia. Circumcision of adult males is performed as well, involving sedation and a local anaesthetic. Cost: \$800–\$1600 (infant–adult). [2014]

**Dr John Saalfeld.** North Shore Medical Centre, Level 4, Suite 2B, 66 Pacific Highway, St Leonards, NSW 2065. Tel: (02) 9439 5480. Adults only. Dorsal Slit only under general anaesthetic. Complete circumcision and other styles not available. [2013]

**Dr Mohammad Salahuddin Sharier**, MBBS FRACGP. Sefton Medical Center 9/151 Wellington Road, Sefton, NSW 2162. Tel: (02) 8211-8888, 1300-523-935, 0422-221-813. Web: <http://www.gentleprocedures.com.au> Email: [drsharier@gentleprocedures.com.au](mailto:drsharier@gentleprocedures.com.au) Method: 30 second painless circumcision using the renowned Pollock technique. We provide circumcision for all ages from infant to adult. Charges will vary according to ages: Under 3 months \$550; 3–6 months \$750; 6–12 months \$1000, beyond 1 year through adulthood \$1500.

**Dr Milton Sales**, MB BS DipRACOG FRACGP & **Dr Adam Jackel**. Bruncker Road General Practice, 324 Bruncker Road, Adamstown, NSW 2289. Tel: (02) 4952 3700. Web: <http://www.circumcisions.com.au> Circumcision by Plastibell under local anaesthetic at Newcastle Private Hospital for babies between 3 and 7 weeks of age. [2013]

**Dr John R. Schulze**, MD Dip RACOG FRACGP. Absolute Medical Services, shop 21, 1 Parsons Rd, Lisaro NSW 2250. Tel: (02) 4328 5200. Circumcisions of boys up to 3 months of age using the Plastibell method and local anaesthesia using plain 1% Xylocaine, penile nerve block. Dr Schulze has been performing the procedure for over 30 years and sees between 350 and 500 patients per year. Cost: \$560 (From 1 Feb 2015: \$600). [2014]

**Dr Shyam Sharma**, MB BS FRACGP Dip. Indust Hlth Cert Civil Aviation Med Cert Skin Cancer Med Cert Diving/Hyperbaric Med. Kildare Road Medical Centre, 36 Kildare Road, Blacktown, NSW 2148. Tel: (02) 8822 3000. Circumcision for males from infancy to adult under local anaesthetic, in our fully-equipped treatment room. Dr Sharma is very experienced in this procedure. Pre- and post-surgery information and advice are provided and follow-up appointments are scheduled. For more information and to make an appointment for an initial consult, please the number above. [2016]

**Dr Adrian C Sheen**, MB BS (Lond), Dip Obst RACOG, FRACGP. Western Sydney: Mulgoa Medical Centre, Corner of Fairlight & Mulgo Roads, Mulgoa NSW 2745 (south of Penrith). Clinic Tel: 1300 DR SHEEN or 0432 123 082. Email: [dracsheen@gmail.com](mailto:dracsheen@gmail.com) Web: <http://circumcisionsnsw.com> Dr Sheen has been performing infant circumcision since 1981, doing approximately 200 per year, by Plastibell and Activeklamp under local anaesthetic for infants up to 3 months old, but preferably under 4 weeks of age. He also does adult circumcision under local anaesthetic. [R] [2016]

**Dr Philip D. Stricker**, Department of Urology, Suite 905, St Vincent's Clinic, 438 Victoria Street, Darlinghurst 2010. Tel: (02) 8382 6971. Low or Medium freehand circumcision (sleeve resection) under general anaesthetic in day surgery theatre of private hospital. Cost approx \$1900 including hospital fee. [2006]

**Dr. Ranjit Thind**, See *L'image Cosmetic Surgery*.

**Dr Philip Walkom**, MBBS MRCOG, FRANZCOG. 63 Wynter Street, Taree NSW 2430. Tel: (02) 6552 6344. Web: <http://www.drwalkom.com.au> Circumcision by Plastibell, preferably under 6 weeks old. Performs approx. 200 circumcisions of boys per year. [2013]

**Dr Henry Woo**, Westmead Private Hospital, Suite 5, Corner Mons & Darcy Roads, Westmead, NSW 2145. Tel: (02) 9635 8765. [2004]

**Dr Frederick Ross Wilson**, George Street Medical Practice, 115 George Street, Bathurst, NSW 2795. Tel: (02) 6332 5355. (Australian GP of the Year for 2003) Circumcision for infants only. [2009]

**Dr Lik-So (Carlo) Yuen**, MB BS FRACS(Urology), Head of Urology, St Vincents Hospital. St Vincent's Clinic, Suite 905, Level 9, 438 Victoria Street, Darlinghurst NSW 2010. Tel: (02) 8382 6960. Email: [cyuen@stvincents.com.au](mailto:cyuen@stvincents.com.au). Only does circumcisions for medical indications, including phimosis, paraphimosis, lichen sclerosis (BXO) and recurrent balanitis. All ages. Cost varies according to the clinical reason for the circumcision, as well as whether it is done in the public hospital system or private

hospital. [2013]

## **Queensland**

**Dr Majid Alinia**, *See Dr. David Easton and Dr. Majid Alinia.*

**Dr Boon (Dr Bhuvaneshwar Subramaniam MBBS, MS MRCS, DRCOG, MRCGP, FRACGP).** Kenmore Clinics, Suites 2, 3 & 6, 2081 Moggill Road, Kenmore, Qld 4069. Tel: (07) 3363-1600. Circumcision of both babies and adults under local anaesthesia. [2015]

**Australian Centre for Penile Surgery.** Surgery at Riverview Private Hospital in Brisbane. *See main entry under Sydney, New South Wales.*

**Dr Deborah Bailey [F]**, Suite 6, Level 4, Pacific Private Clinic, 123 Nerang Street, Southport, Qld 4215. Tel: (07) 5528 2628. [2013]

**Dr Melissa Cahill**, Doctors Grand Plaza, Shop 33a Grand Plaza Shopping Centre, Browns Plains, Qld 4118. Tel: (07) 3809 4555. Circumcisions for infants up to 5 months of age by Plastibell with EMLA cream for local anaesthetic. No injections. Has been performing circumcisions for males up to 5 months of age since 1999. Trained by Dr Terry Russell. [2013]

**Gold Coast Circumcision**, 2<sup>nd</sup> floor, 95 Nerang Street, Southport, Qld 4215 (opposite the Gold Coast Hospital). Tel: (07) 5531-1170 (appointments). Tel: 1300 4 A CIRC. Adult. [2013]

**Dr Nicholas Demediuk (Dr4)**, Suite 7, 'The Edge' East, 10 Lake Kawana Blvd, Bokarina, Qld, 4575. Tel: 1300 377 647 and (07) 3102 7460. E-mail: enquiries@drsnip.com.au Web: <http://www.drsnip.com.au>. Infant circumcision using Gomco clamp under local anaesthetic. (Also in Victoria) [2013]

**Dr David Easton and Dr Majid Alinia**, Wamuran Medical Centre, 1100 D'Aguilar Highway, Wamuran, Qld 4512. Tel: (07) 5496 6399. E-mail: admin@wammed.com.au Web: <http://www.wammed.com.au> Circumcision for infants up to 6 weeks old using EMLA cream as local anaesthetic. [2013]

**Dr Melissa Gilbert**, Russell Medical Centre, 620 Kessels Road, MacGregor, Qld 4109. Tel: (07) 3349 6444. Web: <http://www.circumcision.net.au/> and <http://www.russellmedical.com.au> Dr. Gilbert trained at the Russell Medical Centre. She uses the Plastibell with anaesthetic cream technique for boys aged from newborn to puberty.

**JTC Men's Clinic. Whitsunday Circumcisions.** Airlie Beach, Qld. All-male doctors. Provide assistance with transportation and accommodation. Tel: 0476-508-426. Email: admin@whitsundaycircumcisions.com Enquiries can be made via online form at website: <http://www.whitsundaycircumcisions.com> Circumcision of men aged 18 years and older using local anaesthetic and Gomco clamp. [2015]

**Dr Mahomed Khatree**, Logan Central Medical Centre, 1 Wembley Rd, Logan Central, Qld 4114. Tel: (07) 32087656. Email: info@circumcisionbrisbane.com.au Web: <http://www.circumcisionbrisbane.com.au> Circumcision of infants using Plastibell or Gomco clamp and local anaesthetic. Performed by a doctor who has 30 years experience. [2014]

**Dr David Kirkman**, Circumcision Sunshine Coast, Maple Street Surgery, 46 Maple Street, Cooroy, Qld 4563. Tel: (07) 5447 6644. E-mail: docmss@bigpond.com Web: <http://www.circumcisionsunshinecoast.com.au> Circumcision for infants under 1 month old by Plastibell (with EMLA cream on request). Cost: A\$300. [2013]

**L'image Cosmetic Surgery**, *See Dr. Ranjit Thind.*

**Dr Philip Lockie**, Brisbane Private Hospital, 259 Wickham Terrace, Brisbane, Qld 4000. Tel: (07) 3834 7080. [2011]

**Dr Peter Loth**, Russell Medical Centre, 620 Kessels Road, MacGregor, Qld 4109. Tel: (07) 3349 6444  
Web: <http://www.circumcision.net.au/> and <http://www.russellmedical.com.au> Dr. Loth has been using the Plastibell with anaesthetic cream technique for over 10 years for boys aged from newborn to puberty.

**Dr Scott McClintock**, Gold Coast Urology, 136 Queen Street, Southport, Qld 4215. Tel: (07) 5531 2255. E-mail: [mccurology@onthenet.com.au](mailto:mccurology@onthenet.com.au) Web: <http://www.drscottmcclintock.com.au> [2013]

**Prof Dr Gamal Mousa**, 15 Lake St, Cairns, Qld 4870. Tel: (07) 4031 0977 [2013]

**Queensland Circumcision Service**, #C3, 528 Compton Road, Sunnybank Hills, Qld 4109. Tel: 1300-274-101. Web: <http://www.circumcisionsqld.com.au/surgery.php> Circumcision under local anaesthetic by free hand method for adults and boys over 10 years old; day surgery walk in walk out.

**Dr Michael Read**, Gold Coast Circumcisions, 2nd Floor, 95 Nerang Street, Southport, Qld 4215. (opposite the Gold Coast Hospital). Tel: (07) 5531 1170. (appointments) or 1300 4 A CIRC. E-mail: [enquiries@gctraveldoctor.com.au](mailto:enquiries@gctraveldoctor.com.au) Web: <http://www.gccircumcisions.com.au/> Circumcision for all age groups under local anaesthetic. Plastibell used on infants and young boys. [2013]

**Russell Medical Centre**, 620 Kessels Road, MacGregor Qld 4109. Tel: (07) 3349 6444. Web: <http://www.circumcision.net.au/> and <http://www.russellmedical.com.au>

Practitioners: Dr Terry Russell, Dr Peter Loth, Dr Melissa Gilbert. The practice pioneered the use of anaesthetic cream with the Plastibell in 1993, and has since performed over 38,000 circumcisions for boys of all ages from newborn to puberty.

**Dr Terry Russell**, Russell Medical Centre, 620 Kessels Road, Macgregor, Brisbane, Qld 4109. Tel: (07) 3349 6444. Web: <http://www.circumcision.net.au/> and <http://www.russellmedical.com.au> Dr Russell pioneered the use of anaesthetic cream with the Plastibell in 1993, and has since performed over 30,000 circumcisions for boys aged from newborn to puberty. He is the only doctor ever appointed as a mentor of the RACGP for circumcision. Plastibell method with local anaesthetic. [R] [2014]

**Dr Bijan Shabani**, MD FRACGP. Warner Medical practice, shop 16, Warner Shopping Centre, 353-355 Samsonvale Road, Warner, Qld 4500. Tel: (07) 3882 2366 and (07) 3882 2577. [www.warnermedicalpractice.com.au/doctors/](http://www.warnermedicalpractice.com.au/doctors/) Boys up to age 12 years. [2015]

**South Queensland Urology**, Greenslopes Private Hospital, Newdegate St, Greenslopes, Qld 4120. Tel: (07) 3847 7999. [2005]

**Dr Neil W. Smith**, Gold Coast Urology, 136 Queen Street, Southport, QLD 4215. Tel: (07) 5532 4333. [2013]

**Dr Snip** (see **Dr Nick Demediuk** above), Suite 7, 'The Edge' East, 10Lake Kawana Blvd, Bokarina, Qld 4575. Tel: (07) 3102-7460 (Brisbane) or (07) 5313-7992 (Sunshine Coast) or 1300 DR SNIP (1300-377-647). Web: <http://www.drsnip.com.au/neonatalcircumcision/?gclid=CMO22uWK6bUCFZBZpgodUwkAgw> Uses the Gomco 'Little Trimmer' Clamp regarded by Dr Demediuk as the safest technique. [2013]

**Dr Mario Soteriou**. Sunnybank Hills Family Practicem Sunnybank Hills Shopping Town (Inside Priceline Pharmacy), Shop 2D, 661 Compton Road, Sunnybank Hills, Qld 4109. Tel: (07) 3361 8111. Web: <http://sbhfamilypractice.com.au> [2015]

**Dr E Jeff Tarr**, Ochre Health Medical Centre, 9 Ochre Way, Sippy Downs, Qld 4556. Tel: (07) 5476 6356. E-mail: [drejtarr2@westnet.com.au](mailto:drejtarr2@westnet.com.au) Web: <http://www.drjarr.com.au> Ages 0–3 months with Plastibell, Mogen clamp or Gomco clamp with local anaesthesia using EMLA cream with or without penile nerve block. A\$380. [2013]

**Dr Ranjit Thind**, L'image Cosmetic Surgery. Consultations in Brisbane at Level 1, 222 Lutwyche Road, Windsor, Qld. Tel: (07) 3857 6188. Also on Gold Coast: Tel: (07) 5570 6800. See main entry under



New South Wales for more details. [2009]

**Wamuran Medical Centre**, See Dr David Easton and Dr Majid Alinia.

**Dr Roger Waterfield**, 5 Upward St, Cairns, Qld 4870. Tel: (07) 4031 3137. [2013]

**Woodford Doctors**, Woolworths Complex, shop 6–8, 71–75 Archer Street, Woodford, Qld 4514. Tel: (07) 5422-9399. Infant circumcisions. [2015]

## **South Australia**

**Adelaide Circumcision Clinic**, 480 Port Road, West Hindmarsh, SA 5007. Tel: (08) 8241 5556. And at 27 Adelaide Road, Gawler, SA 5118. Tel: (08) 8522 5555. Web: <http://www.circumcisionadelaide.com.au> Plastibell circumcision with EMLA cream for boys up to about 12 years old. Referral elsewhere available for older boys. [2013]

**Dr S Paul Cowie**, Redgum Skin Cancer Clinic, 174 Hancock Road, Ridgehaven, Adelaide, SA 5097. Tel: (08) 8396 3398. E-mail: [info@redgumclinic.com](mailto:info@redgumclinic.com) Web: <http://redgumclinic.com> Circumcision under local anaesthetic available for all ages. Boys up to 12 years old circumcised by Plastibell; older patients freehand. Costs: Initial consultation (all ages) \$55. Surgery: \$400 under 6 months, \$500 under 10 years, A\$1,250 for boys over 10 years old and adults. [2013]

**Dr Zenon Herzberg**, North Adelaide Medical Centre, 183 Tynte Street, North Adelaide, SA 5006. Tel: (08) 8267 5355. [2006]

**Mr Anthony L Sparnon**, FRACS, 58 Ward Street, North Adelaide, SA 5006. (08) 8267 3186 [2013]

## **Tasmania**

**Dr Ian S. Middleton**, 10 Joynton, Lenah Valley, Hobart, Tas 7008. Tel: (03) 6278 1944. Adult circumcision under general anaesthetic. Cost: \$1,000. [1999]

**Dr Amanda B Young [F]**, 1 Dowling Street, Launceston, Tas 7250. Tel: (03) 6331 6662. Babies over 6 months under general anaesthetic for medical or religious reasons only. [2011]

## **Victoria**

**Australian Aesthetic Surgery Centre**, Ground Floor, 174 Victoria Parade, East Melbourne, Vic 3002. Tel: 1300 361 030 Web: <http://www.aasc.com.au> Adult circumcision under general anaesthetic. Cost approx. \$3,700. [2008]

**Dr Manish Agaskar**, Warragul Family Medicine, 77 Victoria St, Warragul, Vic 3820. Tel: (03) 5622 2973. [2013]

**Dr Mojtaba Athari**, Melbourne Vasectomy and Circumcision Clinic, Heaths Road Family Clinic, 241 Heaths Rd, Werribee, Vic 3030. Tel: (03) 9748 9777. E-mail: [info@mvandc.com.au](mailto:info@mvandc.com.au) Web: <http://www.mvandc.com.au> Circumcision for all ages under local anaesthetic. Infants usually by Plastibell, older patients by Gomco Clamp or Freehand. Costs: Approx. \$900 for an adult but costs vary with age and method. [2013]

**Circumwise Pty Ltd**, 537 Springvale Road, Vermont, Vic 3133. Tel: (03) 9886 3336. E-mail: [circumwise@circumwise.com](mailto:circumwise@circumwise.com) Web: <http://www.circumwise.com.au> Plastibell circumcision under local anaesthetic for boys up to approx. 12 years old. Cost: A\$695. [2013]

**Dr Laurence K Cleeve**, Suite 2, Ground Floor, 141 Grey St, East Melbourne, Vic 3002. Tel: (03) 9419

1668. And at Northpark Private Hospital, Greenhills Road, Bundoora, Vic 3083. Cost \$400 to \$500 plus Consultation \$120. [2012]

**Cotham Private Hospital**, 209 Cotham Road, Kew, Vic 3101. Tel: (03) 8803 0500. Web: <http://www.cothamprivate.com.au> [2008]

**Mr Das**, Portland Hospital, Bentinck St, Portland, Vic 3305. Tel: (03) 5521 0333. E-mail: pdh@swarh.vic.gov.au Plastibell circumcision for infants. [2003]

**Dr Nicholas Demediuk (Dr Snip)**, Parkmore Medical Centre Pty Ltd., 323 Cheltenham Road, Keysborough, Vic 3173. Tel: 1300 377 647 & (03) 9013 8532. E-mail: enquiries@drsnip.com.au. Web: <http://www.drsnip.com.au> Infant circumcision using Gomco clamp under local anaesthetic. (Also in Queensland) [2014]

**Freemasons Hospital**, 166 Clarendon Street, East Melbourne, Vic 3002. Tel: (03) 9483 3833 Web: <http://www.epworth.org.au> [2008]

**Dr David Freidin**, Malvern Specialist Centre, 3/266 Glenferrie Road, Malvern, Vic 3144. Tel: 03 9500 8588. Web: <http://www.davidfreidin.com.au> Circumcision for infants from birth to 6 months of age. [2013]

**Dr Hershel Goldman [J], Melbourne Circumcision Centre**, 127 Chandler Road, Noble Park, Vic 3174. Tel: (03) 9791 1122 & (03) 9387 1000. Also at 124-126 Camberwell Rd, Hawthorne East, Vic. Tel: (03) 9834 7600. E-mail: info@circumcisioncentre.com.au Web: <http://www.circumcisioncentre.com.au> Circumcision for infants aged between 5 days and 4 months using the Mogen Clamp. Costs: 3 weeks and under is \$325, 3–8 weeks is \$360, 8–12 weeks is \$420, over 12 weeks is \$480. Ritual circumcision (Bris Milah) also available for both boys and men. No referral needed. [2013]

**Dr Devan V. Gya**, 179 Northern Rd, Heidelberg Heights, Melbourne, Vic 3081. Tel: (03) 9458 2725. Forceps Guided circumcision under general anaesthetic. \$700. [1999]

**Dr Mohamed Hajoona**, BA(Hons) (USA) MD (Canada) FRACGP. Consultant General Practitioner; Director of Shifa Medical Services Pty Ltd. Highlands Medical Centre, Shop 22, Stockland Highlands 300–332 Grand Boulevard, Craigieburn, Vic 3064. For Circumcision Bookings please contact Victoria Circumcision Clinic, Tel: (03) 8339 7200 or 0488 882472. Web: [www.vcc.net.au](http://www.vcc.net.au); Email: vic.circ.clinic@gmail.com. Circumcision for all ages under local anaesthesia. Techniques are Plastibell until puberty and past puberty surgical circumcision is used. Costs vary by age: \$300 for up to 3 months of age; \$450 for 3–12 months of age; \$500 for 1–4 years of age; \$450 for 4–10 years of age; \$600 for 10 years and older; \$800 for 10 years and older if stitching is needed.

**Dr Sugantha Jagadeesan**, see *Circumwise Pty Ltd* above

**Mercy Private Hospital**, 298–310 Princes Hwy, Werribee, Vic 3030. Tel: (03) 9216 8888. Web: <http://www.mercy.com.au> [2008]

**Northpark Private Hospital**, Corner Plenty and Greenhills Roads, Bundoora, Vic 3083. Tel: (03) 9468 0100. Web: <http://www.northparkprivatehospital.com.au> [2008]

**Dr Ashraf Saddik**, St. Kyrollos Family Clinic, 2A Moore Street, Coburg, Vic 3058. Tel: (03) 9386 0900. E-mail: reception@StKyrollosClinic.com.au Web: <http://stkyrollosfamilyclinic.yolasite.com> Circumcision under local or general anaesthetic for all age groups using the Forceps Guided technique. [2013]

**Dr Snip**. Parkmore Medical Centre Pty Ltd, 323 Cheltenham Road, Keysborough, Vic 3173. Tel: (03) 9013-8532. 1300-377-647. Email: enquiries@drsnip.com.au [2014]

**Dr Robert Stunden**, 50 Kangan Drive, Berwick, Vic 3806. Tel: (03) 9770 5115. Circumcision by Plastibell for infants under 1 month old. Cost: \$300. [2013]

**Dr David Webb**, Suite 103, Freemason Medical Centre, 320 Victoria Parade, East Melbourne, Vic

3002. Tel: (03) 8415 1500. E-mail: enquiries@davidwebbuology.com Web: <http://www.davidwebbuology.com> [2013]

**Dr Peter Wein**, Suite 114, Freemasons Medical Centre, 320 Victoria Parade, East Melbourne, Vic 3002. Tel: (03) 9418 8210. E-mail: dr.peterwein@ozemail.com.au Web: <http://www.drpeterwein.com.au> [2013]

**Mr (Dr) Geoffrey Wells**, Camberwell Urology, 31 Fairholm Grove, Camberwell, Vic 3124. Tel: (03) 9882 0299. E-mail: info@geoffreywells.com.au Web: <http://www.geoffreywells.com.au> Adult circumcision under general anaesthetic. [2011]

**Dr Jennifer M. Wheatley**. 195 Specialist Centre and Children's Clinic, 8/195 Thompsons Road Bulleen Vic 3150. Tel: (03) 8850 5300 A paediatric surgeon who performs circumcision of newborns aged 0–8 weeks under local anaesthetic as an office procedure using a plastibel device and circumcision of boys over 6 months of age under general anaesthesia as a day surgery procedure. Also does circumcision of men under general anaesthesia. Web: [www.195specialistcentre.com.au](http://www.195specialistcentre.com.au) [2015]

## **Western Australia**

**Dr Sue Chapman [F]**, Suite 6, St John of God Medical Centre, Cnr Bussell Hwy & Robertson Drive, Bunbury, WA 6230. Tel: (08) 9722 1869. [2013]

**Dr Hany M Ishak**, Stirling Central Medical Group, Corner Wanneroo & Victoria Roads, Westminster, Perth, WA 6061. Tel: (08) 9440 5300. Web: <http://www.circumcisionwa.com.au> Circumcision for infants only. [2013]

**Dr Leon Levitt & Dr Steven Resnick**, Perth Circumcision Clinic, Grantham House Medical Centre, 89 Essex St, Wembley, Perth, WA 6014. Tel: 08 9387 2239. E-mail: admin@granthamhouse.com Web: <http://www.perthcircumcisionclinic.com.au> Circumcision for boys up to 6 weeks old by the Forceps Guided method. No anaesthetic normally used – EMLA Cream available. Cost: \$350. [2013]

**Dr Peter Lim**, Kelvale Medical Group, 53 Railway Avenue, Kelmscott, WA 6111. Tel: (08) 9495 1230. E-mail: kmgadmin@kelvale.com.au Web: <http://www.kelvale.com.au> Infant circumcision. [2013]

**Dr Adeolu O. Obatayo**, MB BS AMC FRACGP, Jupiter Health and Medical Services, Hammond Park Family Practice and Harvest Lake Health Centre, 69 Bartram Rd, Success WA 6164. [2016]

**Dr Steven Resnick**, See Dr. Leon Levitt & Dr Steven Resnick

**Mr (Dr) Justin Vivian & Colleagues**, Western Urology, 26 McCourt Street, West Leederville, Perth, WA 6007. Tel: (08) 9381 3822 & 9382 4999. E-mail: reception3@westernurology.com Web: <http://www.westernurology.com> Adult circumcisions and re-circumcisions under general anaesthetic. [2011]

**Dr Craig Waters**, St John of God Hospital, Murdoch, WA 6150. Tel: (08) 9366 1792. Circumcision under general anaesthetic. [2003]

## NEW ZEALAND

### **Albany**

**Dr Dirk Drent**, Specialist Suite (Room 104), First floor, Apollo Centre, 119 Apollo Drive, Albany. Tel: (09) 477 3640. *See also main entry under Auckland. [2012]*

### **Auckland**

**Dr Murray Beagley**, Suite 6, 9 St Marks Road, Remuera, Auckland. Tel: (09) 529 2029. E-mail: [manager@cosmeticsurgeon.org.nz](mailto:manager@cosmeticsurgeon.org.nz) Web: <http://www.cosmeticsurgeon.org.nz> Circumcision under local or general anaesthetic. *[2013]*

**Dr Sandhya Chunilal [F]**, Surrey Medical Centre, 26 Surrey Crescent, Grey Lynn, Auckland 1021. Tel: (09) 376 4658. *[2013]*

**Circumcision at 89**, 89 Greenlane East, Remuera, Auckland. Tel: (09) 520 6306. *[2008]*

**Circumcision @ Westgate**, Westgate Medical Centre, Fernhill Drive, Massey, Auckland 0614. Tel: (09) 833 3134. Web: <http://www.wgmc.co.nz> *[2013]*

**The Doctors (New Lynn) Ltd**, 19 Delta Avenue, New Lynn, Auckland 0614. Tel: (09) 827 7810, E-mail: [renee@nl.thedoctors.co.nz](mailto:renee@nl.thedoctors.co.nz) Web: <http://www.radiusmedical.co.nz/The-Doctors-New-Lynn> *[2013]*

**Dr Dirk Drent**, Ormiston Orthopaedics, Level 2, Ormiston Hospital, 125 Ormiston Road, Flat Bush, Manukau, Auckland and Ground Floor, 97 Grafton Road, Grafton, Auckland. Also in Albany and Hamilton. Tel: (09) 919 2615. E-mail: [dirk@uro.co.nz](mailto:dirk@uro.co.nz) Web: <http://www.uro.co.nz> Circumcision for children and adults under local anaesthetic. Cost: Consultation \$120, Circumcision \$550 *[2012]*

**East Tamaki Healthcare (ETHC)**, 160 Bairds Rd, Otara, Auckland. Tel: (09) 274 3414. Web: [http://www.ethc.co.nz/13/Bairds\\_Road](http://www.ethc.co.nz/13/Bairds_Road) *[2005]*

**Mr (Dr) R Stuart Ferguson**, 15 Gilgit Rd, Epsom, Auckland. Tel: (09) 623 7506. General and Paediatric Surgeon. Adult circumcision in private hospital under general anaesthetic. Cost: approx \$1,210. *[2000]*

**Prof Dr Sitaleki 'Ata'ata Finau**, Pacific Health, Department of Maori and Pacific Health, University of Auckland Medical School, Private Bag 102904, North Shore, Auckland 0745. Tel: 0800 627 739. Email: [s.a.finau@massey.ac.nz](mailto:s.a.finau@massey.ac.nz) *[2013]*

**Mrs (Dr) Anne Kolbe [F]**, Suite 1, Auckland Surgical Centre, 9 St Marks Road, Remuera, Auckland. Tel: (09) 524 6473. *[2013]*

**Langimalie Health Centre**, 29 Hill Street, Onehunga, Auckland. Tel: (09) 636 3629. And at 161 Queen's Road, Panmure, Auckland. Tel: (09) 570 9827. Web: <http://www.healthpoint.co.nz/doctors/gp/langimalie-health-centre> Circumcision for adults and boys under local anaesthetic, but no infant circumcisions. Mainly dorsal slit only, but full circumcision can be done. *[2013]*

**Manukau Health Trust Ltd.**, 901 Great South Road, Manukau, Auckland. Tel: (09) 227 1648. E-mail: [admin@manukauhealthtrust.org.nz](mailto:admin@manukauhealthtrust.org.nz) Web: <http://www.manukauhealthtrust.org.nz> Circumcision under local anaesthetic. *[2013]*

**Dr Siva Nachiappan**, Eastmed Integrated Medical Centre, 188 St. Heliers Bay Road, St. Heliers, Auckland. Tel: (09) 585 0188. Web: <http://eastmed.co.nz> Circumcision for those over 15 only. *[2013]*

**Otara Family & Christian Health Centre**, 5/120 East Tamaki Road, Otara, Auckland 2023. Tel: (09)

274 6654. E-mail: [reception@otarafamily.health.nz](mailto:reception@otarafamily.health.nz) Circumcision for 8 years old and over. [2013]

**Pasifica Integrated Family Medical Centre**, 1 Nile Road, Milford, Auckland 0620. Tel: (09) 410 0275. [2008]

**Dr John Russell & Dr. Ivan Cornell**, Hillsborough Medical Centre, 165 Hillsborough Rd, Hillsborough, Auckland. Tel: (09) 625 7010. Web: <http://www.circumcision.co.nz> Circumcision by Plastibell under local anaesthetic for infants under 3 months old. [R] [2013]

**Dr Ayad Razoki**, Westgate Medical Centre, Fernhill Drive, Massey, Auckland 0614. Tel: (09) 833 3134. E-mail: [info@wgmc.co.nz](mailto:info@wgmc.co.nz) Web: <http://www.wgmc.co.nz> [2013]

**Dr Wasfy Shahin**, Country Medical Clinic, 76 Main Road, Kumeu, Auckland 0810. Tel: (09) 412 8722. Web: <http://wasfysmed.co.nz> Circumcision for infants by Alisklamp under local anaesthetic. Cost: \$200. [2013]

**Dr John Thomson**, 257 Remuera Rd, Remuera, Auckland 1050. Tel: (09) 520 2960. E-mail: [jthomson@world-net.co.nz](mailto:jthomson@world-net.co.nz) Web: <http://www.circumcision.co.nz> Circumcision of infants from birth to 6 months old by Plastibell under local anaesthetic. Cost: \$160–200. [2013]

**Dr Gerald Young & Dr Todd Pritchard**, City Med, Ground Floor, Quay West Bldg, 8 Albert Street, Auckland CBD. Tel: (09) 377 5525. Web: <http://www.citymed.co.nz> All ages from infant to adult, circumcised freehand under local anaesthetic (general available on request). Cost: under 6 months \$475; 8–17 years \$525; over 18 years \$750. [R] [2013]

## **Christchurch**

**Prof Dr Spencer Beasley**, Department of Paediatric Surgery, Christchurch Hospital, Private Bag 4710, Christchurch. E-mail: [spencer.beasley@cdhb.govt.nz](mailto:spencer.beasley@cdhb.govt.nz) [2005]

**Mr (Dr) Colin Conahan**, Christchurch Obstetrics & Gynaecology Associates, Hiatt Chambers, St Georges Medical Centre, 249 Papanui Road, Merivale, Christchurch 8014. Tel: (03) 375 4060. E-mail: [colin.conaghan@paradise.net.nz](mailto:colin.conaghan@paradise.net.nz) Circumcision using the Plastibell. Cost: \$250 [2013]

**Dr Peter JT Davidson**, Urology Associates, Hiatt Chambers, St Georges Medical Centre, 249 Papanui Road, Merivale, Christchurch 8014. Tel: (03) 355 5129. E-mail: [reception@urology.co.nz](mailto:reception@urology.co.nz) Web: <http://urology.co.nz> Circumcision under local anaesthetic. [2012]

**Menz Medical Centre**, 158 Fitzgerald Avenue, Christchurch. Tel: (03) 981 8181. Web: <http://www.menzmedical.com> [2011]

**Dr Peter Wilkinson**, Templeton Medical Centre, 5 Kirk Road, Templeton, Christchurch. Tel: (03) 349 6716. Web: <http://www.templetonmc.co.nz> Cost: \$180. [2013]

## **Dunedin**

**Dr Paul C Bennett**, Broadway Medical Centre, 2 Broadway, Dunedin 9016. Tel: (03) 477 4335. E-mail: [paul@drpaul.co.nz](mailto:paul@drpaul.co.nz). Web: <http://www.drpaul.co.nz>. Infants only using the Gomco Clamp under local anaesthetic. Cost: \$255. [2013]

## **Hamilton**

**Dr Dirk Drent**, 33 Tawa Street, Hamilton. Tel: (07) 843 0017. *See also main entry under Auckland.* [2012]

**Radius Medical**, Rototuna Shopping Centre, Cnr Horsham Downs Road & Thomas Road, Hamilton. Tel: (07) 852 5377. Also at: Davies Corner, 31 Hukanui Road, Chartwell, Hamilton 3210. Tel: (07) 855 5370. And St Andrews, 26 Bryant Road, Te Rapa, Hamilton. Tel: (07) 849 4181. Web: <http://www.radiusmedical.co.nz> Neonatal circumcisions only. Cost: \$490 [2013]

## **Lower Hutt**

**The Circumcision Clinic**, Ropata Specialist Centre, 1st Floor, 577 High St, Lower Hutt. *See main entry under Palmerston North for contact details.* [2013]

**Dr David Young**, Naenae Medical Centre, 39 Treadwell Street, Naenae, Lower Hutt 5011. Tel: (04) 567 1066. Cost: Babies approx. \$165. [2009]

## **Nelson**

**The Circumcision Clinic**, The Doctors, Unit 2, 105 Collingwood Street, Nelson 7010. *See main entry under Palmerston North for contact details.* [2013]

## **Palmerston North**

**The Circumcision Clinic**, The Palms Health & Wellness Centre, 445 Ferguson Street, Palmerston North 4410. Tel: 0800 247 286. Email: [enquiries@circumcision.net.nz](mailto:enquiries@circumcision.net.nz) Web: <http://circumcision.net.nz> Also in Wellington, Lower Hutt, Tauranga, Wairarapa & Nelson. Circumcision for babies under 6 weeks old by Plastibell under local anaesthetic using EMLA cream. Cost: \$395. [2013]

## **Tauranga**

**The Circumcision Clinic**, 49 Fraser Street, Tauranga. *See main entry under Palmerston North for contact details.* [2013]

**ProMed Urology Ltd**, Suite 6, Promed House, 71 Tenth Ave, Tauranga 3140 and at Level 6, Harrington House, Harrington Street, Tauranga 3140. Tel: (07) 579 0466. E-mail: [reception@urobop.co.nz](mailto:reception@urobop.co.nz) Web: <http://urobop.co>. Circumcision of men and boys under general anaesthetic. [2012]

## **Wairarapa**

**The Circumcision Clinic**, Selina Sutherland Hospital, Blair St, Masterton. *See main entry under Palmerston North for contact details.* [2013]

## **Wellington**

**The Circumcision Clinic**, 1st Floor, Lychgate Centre, New Zealand Dermatology and Skin Cancer Centre, 100 Riddiford Street, Newtown. *See main entry under Palmerston North for contact details.* [2013]

**Mr (Dr) Richard Robinson**, Adult & Pediatric Urologist, Southern Cross Hospital, 90 Hanson St, Newtown, Wellington. Tel: (04) 910 2178. E-mail: [welwms@sxhealth.co.nz](mailto:welwms@sxhealth.co.nz) Circumcision of adults, boys and babies. [2013]

**Dr EF Sang**, 159 The Parade, Island Bay, Wellington 6023. Tel: (04) 383 7647. Cost: Babies approx. \$200. [2009]

**Wellington Children's Hospital**, Riddiford Street, Newtown, Wellington 6021. Tel: (04) 385 5999. [2013]

**Wellington Urology Associates**, Level 3, Wakefield Hospital, Florence St, Newtown. Tel: (04) 381 8344. E-mail: [urology@wakefield.co.nz](mailto:urology@wakefield.co.nz) Web: <http://nzurology.co.nz> [2013]